


#### Fitness Flooring Solutions

ENERGISE AT THE BAR







#### Our Flooring Range.

Gym flooring is a crucial part of any successful gym fit out and is often not given the necessary consideration. It needs to be part of the early planning of the space when considering the space allocation for each zone within the gym. Explore our range:

- High Impact Tile
- Premium Tile
- Classic Tile
- CAP System
- Edging, Corners & Underlay
- Fitness Flooring Roll

- Performance+ Oly System
- Elite Sprint Track Turf
- Classic Sprint Track Turf
- Soft / Firm Jigsaw Mat
- Customisation
- Testimonials



# <br/> High Impact<br/> Tile

The Origin 40mm High Impact Tiles are suitable for almost any gym environment. This product has been specifically designed for freeweights and strength & conditioning spaces to offer maximum impact absorption where there is a high chance that weights will be dropped to the ground.



Suitable for high footfall and free weights spaces



Can be used as weightlifting platform drop zones




Available in 12 colours



100% recycled rubber.




CAP System compatible





# High Impact

SKU	OF-CY-HI40
Thickness	40mm
EPDM Top Layer Thickness (if applicable)	3mm
Compatible with CAP System	Yes
Size	1000 x 500mm
Bevel	Yes
Approximate weight	20.3kg
Approximate Density	1.015g / cm3
Construction	Heterogeneous (dual layer)
Material	SBR Rubber Base with 3mm EPDM Top Sheet.
Safety Pass	EN 13501-1
Force Reduction	51.7% (EN 14808)
Appearance	Smooth, dense closed face
Footfall Usage	High
Installation	Loose Laid with Tile CAP System, or Bonded
Adhesive	F58
Warranty	7 Years (Please see full details here)







### Premium Tile

The premium tiles feature a heterogeneous construction, consisting of an impact absorbing bottom layer and a hard wearing closed face surface layer. This design gives them high levels of noise and vibration absorption making them ideal for free weights areas.



Suitable for high footfall and free weights zones



100% recycled rubber



Available in 11 colours




CAP System compatible






#### Premium Tile

SKU	OF-CY-PFT20
Thickness	20mm
EPDM Top Layer Thickness (if applicable)	3mm
Compatible with CAP System	Yes
Size	1000 x 500mm
Bevel	Yes
Approximate weight	10.15kg
Approximate Density	1.015g / cm3
Construction	Heterogeneous (dual layer)
Material	SBR Rubber Base with 3mm EPDM Top Sheet.
Safety Pass	EN 13501-1
Force Reduction	46.7% (EN 14808)
Appearance	Smooth, dense closed face
Footfall Usage	High
Installation	Loose Laid with CAP system or Bonded
Adhesive	F58
Warranty	7 Years (Please see full details here)







## Classic Tile

The Classic tile is a simple and effective solution for flooring your fitness areas. We offer this product in a 20mm or 40mm option, each is suitable for a variety of applications. These are constructed of a high quality SBR rubber which offers an affordable solution to cover large spaces.



Suitable for high footfall areas and where products may be dropped.

s ZZZ



Available in two thicknesses: 20 & 40mm



100% recycled rubber.



CAP System compatible (40mm only)





#### Classic Tile

SKU	OF-SBR-20	OF-SBR-40
Thickness	20mm	40mm
EPDM Top Layer Thickness (if applicable)	No	No
Compatible with CAP System	No	Yes
Size	1000 x 500mm	1000 x 500mm
Bevel	Yes	yes
Approximate weight	10kg~10.5kg	18kg
Approximate Density	1000kg/m3~1050kg/m3	900kg/m3
Construction	Single Layer	Single Layer
Material	SBR Rubber	SBR Rubber
Appearance	Open Faced	Open Faced
Footfall Usage	Medium to low	High
Installation	Loose Laid or Bonded	Loose laid with tile CAP system or bonded
Adhesive	F58	F58
Warranty	2 Years (full details here)	2 Years (full details here)

Classic





#### S Y S T E M

Each Origin Fitness tile accommodates our connection anchor plates. Each tile can accommodate up to 12 anchor points. Connecting the tiles like this reduces any individual tile movement. Each tile comes with four central and 2 outer connectors as standard.

Connection Anchor Plate System

Using the CAP System will allow you to loose lay and save costs on bonding.

SKU	OF-CY-PFT20-JPP-15mm-I
Included	A pack of 8 CAPS (6 x 4 stud, 2 x 2 stud)



#### Edges

SKU	OF-CY-PFT20-E-CAP or OF-CY-HI40-E
Vlaterial	Rubber
Thickness	20 or 40mm
Dimensions	150 x 500mm
Construction	Dual layer construction (3mm EPDM Top Layer)

ic

#### Corners

SKU	OF-CY-PFT20-CNR or OF-CY-HI40-CNR
Material	Rubber
Thickness	20 or 40mm
Dimensions	550 x 550 x 150 (W x L x D)
Construction	Dual layer construction (3mm EPDM Top Layer)

#### Underlay

SKU	OF-6010SP
Material	Rubber
Thickness	4,5,6,7,8,9 or 10mm
Dimensions	10 x 1.25m Rolls
Construction	Single Piece Construction





#### Fitness Flooring Roll

The Origin 10mm Fitness Roll is suitable for cardio, resistance, functional, free weights and other multi purpose areas. The homogeneous construction of the flooring makes it resilient, durable and provides low step noise reduction.



Suitable for high footfall and where products may be dropped. <u>×</u>





100% recycled rubber.



Available in four colours






#### **Fitness** Flooring Roll

SKU	BSW-EVERROLL CLASSIC
Thickness	10mm
EPDM Top Layer Thickness (if applicable)	n/a
Compatible with CAP System	No
Size	1.25m x 10m
Bevel	No
Approximate weight	140kg per roll
Construction	Resilient, homogenous construction (single layer)
Material	PUR bonded rubber crumb and EPDM granulate
Safety Pass	EN 13501-1
Force Reduction	13.7% (EN 14904)
Appearance	Smooth, dense closed face
Footfall Usage	High
Installation	Bonded
Adhesive	F58
Warranty	7 Years (Please see full details here)

Single Fleck





## Performance+ Oly System

The Performance+ OLY Flooring System is a heterogenous flooring solution that consists of a 10mm premium flooring roll as the top layer and 10mm Origin Underlay as the base layer.

This combination of a responsive and robust top sheet that holds it's form plus the impact and noise absorption of the forgiving base layer creates a great fitness flooring solution for spaces where heavy free weights are likely to be dropped like in Olympic lifting spaces (suitable subfloor is essential).



<

Suitable for high footfall and studio spaces




Suitable for cardio zones, dense material allows for easy manoeuvrability




Dual layer system



Noise dampening properties





## **Performance+ Oly System**

SKU	OF-PPFS-OLY
Thickness	20mm (10mm base + 10mm top sheet)
EPDM Top Layer Thickness (if applicable)	n/a
Compatible with CAP System	No
Size	1.25m x 10m
Bevel	No
Approximate weight	280kg per set of rolls
Construction	Two layered construction
Material	PUR bonded rubber crumb and EPDM granulate
Safety Pass	EN 13501-1
Force Reduction	41.3% (EN 14904)
Appearance	Smooth, dense closed face
Footfall Usage	High
Installation	Bonded
Adhesive	F58
Warranty	7 Years (Please see full details here)

**Single Fleck** 











## Elite Sprint Track

The Elite Sprint Track Turf will be a great asset for your gym or outdoor training area, adding something different and exposing users to a wide range of new training possibilities. The combination of a short fibre and high density of the mat ensures that the mat is resistant to wear and offers very durable as a sports flooring solution.



Available in 18 colours



Sled-work inclusive warranty



13mm Pile Height



3/16 Gauge



Available in three designs







## Elite Sprint Track

SKU	1) OF-SST-U 2) OF-SST-EM 3) OF-SST-CLM
Designs	1) Unlined 2) Edge Marked 3) Full Custom
	ALL SPECIFICATIONS BELOW CATER FOR ALL THREE DESIGNS
Material	Polyethylene Textured, 100% Monofilament Yarn

Monofilament Yarn
No
13mm
30
3/16
Completely tufted by machine
Comes in 2m and 4m widths as standard but can be cut to size
Custom
3200gr/m <sup>2</sup>
Simple Installation Instructions (using double sided tape):
- Clean the floor (must be level)
<ul> <li>Roll out the track and leave this for 24 hours</li> <li>Roll one side of the track to the middle</li> <li>Use weights on the other half to ensure track remains put</li> <li>Peel off double sided tape as you roll it back into place</li> <li>Repeat with other side of track</li> <li>Use weights to press the turf to the floor to ensure adherence</li> </ul>
-







#### Unlined

The Origin Sprint Track Turf (Unlined) is only available in the colour options below. This turf is supplied with no additional line markings or availability for custom branding.




#### Edge marked

The Origin Sprint Track Turf (Edge Marked) is only available in the colour options below. The line markings are positioned every metre in white. The Start/Finish can be replaced with a logo/type.



Line markings









<

# Classic Sprint Track

This heavy-duty artificial grass has been extensively tested and designed specifically for sport and fitness applications, including the use of prowlers, drag sleds and other common fitness training tools. Unlike the Elite turf, this product comes in lengths up to 15m.



Available in two colours




Suitable for multipurpose sleds

12mm Pile Height



3/8 Gauge






#### **Classic Sprint** Track Turf

SKU	OF-STT
Material	100% Monofilament Yarn
Compatible with CAP System	No
Pile Height	12mm
Stitch Rate (10 cm <sup>1</sup> )	30
Guage	3/8
Technique	Tufted
Length	5m - 25m
Width	2m or 4m
Total Product Weight	3200gr/m <sup>2</sup>
	Simple Installation Instructions (using double sided tape): - Clean the floor (must be level) - Boll out the track and leave this for 24 hours
Installation Requirements	<ul> <li>Roll out the track and leave this for 24 hours</li> <li>Roll one side of the track to the middle</li> <li>Use weights on the other half to ensure track remains put</li> <li>Peel off double sided tape as you roll it back into place</li> <li>Repeat with other side of track</li> <li>Use weights to press the turf to the floor to ensure adherence</li> </ul>
Commercial Warranty Details	2 Years (Please see full details here)





### Soft | Firm Jigsaw Mat

Soft Gym Mats are a lightweight product used by leading gyms and health clubs, predominantly in stretching, warm up and cool down spaces. We also off a firm mat which is a dual density EVA product suitable for higher footfall spaces within the club.





Wipe clean



Interlocking Tiles

Anti-slip



Available with edges and corners






#### Soft | Firm Jigsaw Mat

	Soft	Firm OF-FL-JTF		
SKU	OF-FL-JTS			
Thickness	20mm	20mm		
EPDM Top Layer Thickness (if applicable)	n/a	n/a		
Compatible with CAP System	No	No		
Size	1020mm x 1020mm	1020mm x 1020mm		
Bevel	On edges and corners	On edges and corners		
Approximate weight	2.5kg	2.5kg		
Approximate Density	0.13g/cm3	0.13g/cm3		
Construction	Single piece EVA construc- tion	Dual, 5mm firm EVA top layers 15mm soft EVA bottom Layer		
Material	EVA	EVA		
Appearance	Smooth dense closed face	Smooth dense closed face		
Footfall Usage	Medium to Low	Medium to Low		
Installation	Loose laid, interlocking	Loose laid, interlocking		
Adhesive	n/a	n/a		
Warranty	12 Months	12 Months		






#### Flooring Customisation


We offer custom branding on most of our flooring range. Customisation can add help complete a flooring installation and add branding in to your potential space. We can apply shapes, slogans, logos or designs onto your tiles and rolls. Our team regularly work with trainers to design specific grid systems and layouts that align to your facilities group programming.













#### **Get in Touch**

CALL 0333 2000 750

VISIT www.originfitness.com

Origin Fitness 21 Cliftonhall Road EH28 8PW Edinburgh



#### Flooring Usage Guide

#### This usage flooring guide compares all the products in the brochure against their usability.

Vertically we have positioned the products against the usability horizontally. This provides a great overview of where each product is best suited. Please note that this is our recommendation. The products in the higher end of our range will cater for most of the usability stated below, but it may not be the best product for that scenario. For more advice talk to one of our flooring experts.

KEY:

I

0

- Best Option
- Suitable, dependant on
- installation and sub-layers
- x Not Appropriate

	lons weights												
	tigh impocr	Heoly Free Me.	Medin free W.	<sup>Li</sup> ght free Weic.	Plate Lodged	Strength	टे	Siluqio	Strefer	Wold Wood Real	Functionary	Functional Rigs	Push
High Impact	✓	✓	0	0	0	0	0	0	0	0	0	0	X
Premium	0	0	✓	✓	✓	✓	0	0	0	0	✓	✓	X
Spectrum	✓	✓	0	0	0	0	0	0	0	0	0	0	X
Classic (20mm)	0	0	✓	✓	✓	✓	0	0	0	0	✓	✓	X
Classic (40mm)	✓	✓	0	0	0	0	0	0	0	0	0	0	X
Fitness Flooring Roll	0	0	0	~	✓	✓	~	~	0	<b>v</b>	<b>~</b>	✓	Х
Performance+ Oly	0	0	0	~	~	~	~	✓	0	✓	✓	~	X
Elite Sprint Track Turf	X	X	X	0	0	0	0	0	0	0	0	0	~
Classic Sprint Track Turf	X	X	X	0	0	0	0	0	0	0	0	0	~
Soft and Firm Tiles	X	X	X	X	X	X	X	X	✓	X	X	X	X

 $\langle$